



Physical Therapy

Dress Code	Attire appropriate to the occupational area
SLC Orientation	<ul style="list-style-type: none"> - Event explained to the competitors and individual timecards handed out. Students will return to the event room at least 5 minutes before their allotted time. Students will have a secret scenario to solve when it is their turn to compete. Students not share the secret scenario when they leave the event as it is an automatic disqualification.
Round # 1	Competitors must submit technical skill video to Montana HOSA by deadline. Additionally, competitors will take an online test during the testing window. Advisors will be informed of which competitors have moved on from Round 1 to qualify to participate in Round 2 at SLC.
Round # 2	Skill procedures from rubric guidelines will be performed by each competitor. Competitors may be asked to do one or multiple of the performance skills.
Scoring	Round 1 online testing scores will be combined with Round 2 skill procedures for a total score.

Official References

All official references are used in the development of the written test and skills rating sheets.

- [Simmers, L., Simmers-Narker, Simmers-Kobelak. *DHO: Health Science*. Cengage Learning, Latest edition.](#)
- [Pierson and Fairchild. *Principles and Techniques of Patient Care*. Elsevier, Latest edition.](#)
- [Pagliarulo, Michael A. *Introduction to Physical Therapy*. Elsevier. Latest edition.](#)

Round One Test

Test Instructions: The written test will consist of 50 multiple choice items in a maximum of 60 minutes taken during the online testing window.

Written Test Plan

Profession of PT	14%
Legal and Ethical Considerations	10%
Physical Therapy for Musculoskeletal Conditions	16%
Physical Therapy for Neuromuscular Conditions	16%
Physical Therapy for Cardiopulmonary Conditions	14%
Physical Therapy for Integumentary Conditions	14%
Physical Therapy for Pediatrics and Older Adults	16%

Round Two Skills

Round Two is the performance of a selected skill(s). The skills approved for Round Two for this event are:

Skill I: Ambulating with a Transfer (Gait) Belt	(5 minutes)
Skill II: Ambulating with a Walker	(9 minutes)
Skill III: Ambulating with a Cane	(8 minutes)
Skill IV: Range of Motion	(10 minutes)
Skill V: Ambulating with Crutches	(7 minutes)
Skill VI: Cold Application with Ice Bag	(6 minutes)
Skill VII: Transfer from Supine to Sitting Position	(5 minutes)
Skill VIII: Donning & Removing Transmission-Based Isolation Garments	(5 minutes)

Competitor Must Provide:

- Two #2 lead pencils with eraser
- Watch with second hand (optional-Round Two only)
- Gait belt (competitor may bring own OR use the one provided by HOSA)
- Gown
- Gloves
- Mask

The following pages include the exact rubrics competitors will be scored on. Competitors should practice and know these steps. They may be tested on 1-3 of these skill procedures.

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C
 Competitor # _____ Judge's Signature _____

Skill I Ambulating with a Transfer (Gait) Belt Time: 5 minutes		Possible		Awarded
1.	Obtained instructions from therapist.	1	0	
2.	Assembled equipment.	1	0	
3.	Knocked on door or requested permission to enter from behind the curtain, and paused before entering.	1	0	
4.	Closed the door or screened the unit to provide privacy (if applicable).	1	0	
5.	Greeted patient and introduced self.	1	0	
6.	Identified patient.	2	0	
7.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
8.	Explained skill and obtained consent from patient.	2	0	
Note to Judge: If the patient is sitting in a chair and fully clothed, omit steps #9, #10 and do not award the points.		-		
9.	Locked the bed and lowered the near siderail.	1	0	
10.	Assisted patient into a sitting position and put a robe on the patient if not wearing one.	1	0	
11.	Checked to be sure the gait belt is the correct size, then positioned the belt around the patient's waist and on top of the clothing.	2	0	
12.	Positioned the buckle or clasp so that it is slightly off center in the front, smooth and free of wrinkles.	2	0	
13.	Tightened the belt so that it fits snugly, secured the clasp or buckle, and placed fingers under the belt to make sure it is not too tight.	2	0	
14.	Put shoes or slippers with non-skid soles on the patient and ensured patient's feet are on the floor.	2	0	
15.	Made sure the patient's feet were on the floor and moved closer to side of the bed or edge of chair if not.	1	0	
16.	Faced the patient with a broad base of support and grasped the loops on the side of the belt or placed hands under the sides of the belt	2	0	
17.	Asked the patient to stand by pushing against the bed or chair with his/her hands at a given signal.	1	0	
18.	Bent knees, gave the signal to stand and kept back straight and straightened knees as the patient stood.	1	0	

Skill I Ambulating with a Transfer (Gait) Belt (con't) - Items Evaluated		Possible		Awarded
19.	Supported the patient in a standing position. Kept one hand on one side of the belt while moving the other hand to the loops or the back of the belt.	2	0	
20.	Moved the second hand from the side to the loops or the back of the belt while moving behind the patient.	2	0	
21.	Provided verbal directions for mobility task and/or demonstration. a. Encouraged patient to walk slowly.	2	0	
22.	Walked slightly behind the patient at all times and kept a firm, underhand grip on the belt or kept hands firmly in the loops. If patient has a weak side, positioned self on the weak side.	2	0	
Note to Judge: If scenario calls for the patient to fall, evaluate item #23 and skip #24-#26. If the patient does not fall, skip #23.		-		
23.	If the patient started to fall:	2	0	
a.	Kept a firm grip on the belt.	2	0	
b.	Used body to brace the patient, kept back straight, and gently eased the patient to the floor, taking care to protect his/her head.	2	0	
c.	Stayed with the patient and called for help.	2	0	
d.	Did not attempt to stand the patient up until help arrived	2	0	
Note to Judge: If the patient falls, verbalized that help has arrived and that the patient has been examined by a physician and been returned to bed/chair.		-		
24.	Assisted the patient back to the bed (or chair) after ambulating for the distance/time directed by the therapist (judge).	1	0	
25.	Removed gait belt.	1	0	
26.	Elevated siderail (if indicated) and observed all checkpoints before leaving the patient.	2	0	
27.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
28.	Used appropriate verbal and nonverbal communication with patient and other personnel.	2	0	
29.	Reported skill and observations to the therapist (judge).	4	0	
TOTAL POINTS -- SKILL I: Patient Fell (Bed)		50		
TOTAL POINTS -- SKILL I: Patient Did Not Fall (Bed)		46		
TOTAL POINTS -- SKILL I: Patient Fell (Chair)		48		
TOTAL POINTS -- SKILL I: Patient Did Not Fall (Chair)		44		
70% Mastery for Skill I Patient Fell (Bed) = 35				
70% Mastery for Skill I Patient Did Not Fall (Bed) = 32.2				
70% Mastery for Skill I Patient Fell (Chair) = 33.6				
70% Mastery for Skill I Patient Did Not Fall (Chair) = 30.8				

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C
 Competitor # _____ Judge's Signature _____

Skill II Ambulating with a Standard Walker Time: 9 minutes		Possible		Awarded
1.	Obtained instructions from therapist (judge-to include distance/time for ambulation).	1	0	
2.	Assembled equipment.	1	0	
3.	Checked walker to assure rubber suction cups are secure on all needed legs, no rough or damaged edges on hand rests.	2	0	
4.	Knocked on door or requested permission to enter from behind the curtain, and paused before entering.	1	0	
5.	Greeted patient and introduced self.	1	0	
6.	Identified patient.	2	0	
7.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
8.	Explained skill and obtained consent from the patient.	2	0	
9.	Checked to be sure the gait belt is the correct size, then positioned the belt around the patient's waist and on top of the clothing.	2	0	
10.	Positioned the buckle or clasp so that it is slightly off center in the front, smooth and free of wrinkles.	2	0	
11.	Tightened the belt so that it fits snugly, secured the clasp or buckle, and placed fingers under the belt to make sure it is not too tight.	2	0	
12.	Put shoes or slippers with non-skid soles on the patient and ensured patient's feet are on the floor.	2	0	
13.	Provided verbal directions for mobility task and/or demonstration:	1	0	
	a. Instructed the patient to lift the walker and place it forward so that the back legs of the walker are even with the patient's toes.			
	b. Instructed the patient to avoid sliding the walker to prevent falls.	2	0	
	c. Instructed the patient to transfer their weight forward slightly to walker.	1	0	
	d. Instructed the patient to use the walker for support and to walk "into" the walker. Do not shuffle feet.	1	0	
14.	Used an underhand grasp on the belt and assisted the patient to a standing position.	2	0	
15.	Positioned the walker so the patient is "inside" the walker.	1	0	
16.	Checked the height of the walker so that hand rests are level with the tops of the femurs at the hip joints.	1	0	
17.	Had the patient grasp the handpieces and observed the angle of elbow flexion which should be 20 to 25 degrees.	1	0	
18.	If the height of the walker needs adjustment, notified the physical therapist (judge).	2	0	
	Note to Judge: Adjust the walker, if required			
19.	Reminded patient of technique and/or corrected incorrect technique throughout session.	2	0	

Skill II Ambulating with a Standard Walker (con't) - Items Evaluated		Possible		Awarded
20.	Walked to the side and slightly behind the patient on the weak side.	2	0	
21.	Was alert and ready to or caught the patient if any signs of falling.	2	0	
22.	Assisted the patient back to the chair after ambulating for the distance/time directed by the therapist.	1	0	
23.	Removed gait belt and replaced equipment.	2	0	
24.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
25.	Used appropriate verbal and nonverbal communication with patient and other personnel.	2	0	
26.	Reported skill and observations to the therapist (judge).	4	0	
TOTAL POINTS -- SKILL II		49		
70% Mastery for Skill II = 34.3				

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C
 Competitor # _____ Judge's Signature _____

Skill III Ambulating with a Cane Time: 8 minutes		Possible	Awarded
1.	Obtained instructions from therapist (judge) and ascertained which gait the therapist taught the patient.	1 0	
2.	Assembled equipment.	1 0	
3.	Checked cane to assure the bottom has a rubber suction tip.	2 0	
4.	Knocked on door or requested permission to enter from behind the curtain, and paused before entering.	1 0	
5.	Greeted patient and introduced self.	1 0	
6.	Identified patient.	2 0	
7.	Washed hands or used alcohol-based hand rub for hand hygiene.	2 0	
8.	Explained skill and obtained consent from the patient.	2 0	
9.	Checked to be sure the gait belt is the correct size, then positioned the belt around the patient's waist and on top of the clothing.	2 0	
10.	Positioned the buckle or clasp so that it is slightly off center in the front, smooth and free of wrinkles.	2 0	
11.	Tightened the belt so that it fits snugly, secured the clasp or buckle, and placed fingers under the belt to make sure it is not too tight.	2 0	
12.	Put shoes or slippers with non-skid soles on the patient and ensured patient's feet are on the floor.	2 0	
13.	Provided verbal directions for mobility task and/or demonstration: a. Instructed the patient to use the cane on the strong or unaffected, side.	4 0	
	b. Three Point Gait		
	i. Instructed patient to shift their body weight onto the strong or unaffected leg while moving the cane forward approximately 12-18 inches.	1 0	
	ii. Instructed patient to then move the weak or affected leg forward.	1 0	
	iii. Instructed patient to then transfer the weight to the affected leg and cane.	1 0	
	iv. Instructed patient to then bring the unaffected leg forward.	1 0	
OR			
	Two Point Gait		
	i. Instructed patient to shift their body weight on the strong or unaffected leg.	1 0	
	ii. Instructed patient to then move the cane and the weak or affected leg forward at the same time, keeping the cane fairly close to the body to prevent leaning.	1 0	
	iii. Instructed patient to then transfer body weight forward to the cane.	1 0	
	iv. Instructed patient to then moved the strong or unaffected, leg forward.	1 0	

14.	Used an underhand grasp on the belt and assisted the patient to a standing position.	2	0	
Skill III Ambulating with a Cane (con't) - Items Evaluated		Possible	Awarded	
15.	Reminded the patient to bear his or her weight on the unaffected leg.	4	0	
16.	Checked the height of the cane:			
a.	Positioned the cane on the unaffected (good) side and approximately 6 to 8 inches from the side of the foot.	1	0	
b.	Checked that the top of the cane is level with the top of the femur at the hip joint.	1	0	
c.	Checked to ensure the patient's elbow is flexed at 25° – 30°.	1	0	
17.	If the height of the cane needs adjustment, notified the physical therapist (judge). Note to Judge: Adjust the cane, if required	1	0	
18.	Reminded patient of gait sequence (including taking small steps) and/or corrected incorrect technique throughout session.	2	0	
19.	Walked to the side and slightly behind the patient on the weak side.	2	0	
20.	Was alert and ready to or caught the patient if any signs of falling.	2	0	
21.	Assisted the patient back to the chair after ambulating for the distance/time directed by the therapist (judge or scenario).	1	0	
22.	Removed gait belt and replaced equipment.	2	0	
23.	Washed hands or used alcohol-based hand-rub for hand hygiene.	2	0	
24.	Used appropriate verbal and nonverbal communication with patient and other personnel	2	0	
25.	Reported skill and observations to the therapist (judge).	4	0	
TOTAL POINTS -- SKILL III		55		
70% Mastery for Skill III = 38.5				

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C

Competitor # _____ Judge's Signature _____

Note: This skill may take place in a hospital bed or outpatient PT clinic. Steps that are appropriate in a hospital setting may not be done in an outpatient clinic. The skill steps performed should be adjusted to fit the setting and scenario. Competitor will perform full range of motion unless patient complains of pain.

Skill IV Passive Range of Motion (one side) Time: 10 minutes		Possible	Awarded
1.	Obtained instructions from physical therapist (judge), to include the number of repetitions for each movement and any specific instructions regarding joints for range of motion (3-5 repetitions).	1 0	
2.	Knocked on door or requested permission to enter from behind the curtain, closed the door or screened the unit to provide privacy (if applicable).	1 0	
3.	Greeted patient and introduced self.	1 0	
4.	Identified patient.	2 0	
5.	Washed hands or used alcohol-based hand rub for hand hygiene.	2 0	
6.	Explained skill to patient and obtained consent from patient.	2 0	
7.	Locked wheels of bed or mat table to prevent movement (if appropriate).	2 0	
8.	Elevated the bed to a comfortable working height (if appropriate).	2 0	
9.	Lowered the siderail on the side where you are working (if appropriate).	1 0	
10.	Positioned patient in supine position in good body alignment.	2 0	
11.	Draped patient using existing bed linen or bath blanket.	1 0	
12.	Exercised the correct body side as indicated in the scenario	4 0	
13.	Exercised the shoulder joint: Abduction/Adduction	1 0	
	a. Grasped the wrist and elbow.		
	b. Abducted the shoulder by moving the extremity away from the trunk.	1 0	
	c. Adducted the shoulder by returning to the patient's side.	1 0	
	Flexion/Extension		
	d. Patient supine with shoulder at the edge of the support surface.	1 0	
	e. For left shoulder – grasped left wrist with hand and grasped elbow with the right hand. Alternated for right shoulder.	1 0	
	f. Flexed the shoulder by raising arm above the head.	1 0	
	g. Extended the shoulder by bringing the arm back down to the side from above the head.	1 0	

Skill IV Passive Range of Motion (one side) (con't) - Items Evaluated		Possible	Awarded
14.	Exercised the elbow joint: Flexion/Extension	1	0
a.	Supported the patient's arm by placing one hand on the elbow and the other hand on the wrist.		
b.	Flexed the elbow by bending the forearm and hand up toward the shoulder.	1	0
c.	Extended the elbow by moving the forearm and hand down to the side, or straightening the arm.	1	0
	Supination/Pronation	1	0
d.	Pronated by turning the forearm and hand so that the palm of the hand is facing down.		
e.	Supinated by turning the forearm and hand so that the palm of the hand is facing up.	1	0
15.	Exercised the wrist: Flexion/Extension		
a.	Grasped patient's hand over palmar & dorsal surfaces with one hand and supported and stabilized forearm with the other hand.	1	0
b.	Flexed the wrist by bending the hand down toward the forearm.	1	0
c.	Extended the wrist by straightening the hand.	1	0
d.	Hyperextended the wrist by bending the top of the hand back toward the forearm.	1	0
	Ulnar/Radial Deviation	1	0
e.	Deviated the wrist in an ulnar direction by moving the hand toward the little finger side.		
f.	Deviated the wrist in a radial direction by moving the hand toward the thumb side.	1	0
16.	Exercised the fingers and thumb: Flexion/Extension	1	0
a.	Supported the patient's hand by placing one hand at the wrist.		
b.	Flexed the thumb and fingers by bending them toward the palm.	1	0
c.	Extended the thumb and fingers by straightening them.	1	0
	Abduction/Adduction	1	0
d.	Abducted the thumb and fingers by spreading them apart.		
e.	Adducted the thumb and fingers by moving them together.	1	0
	Opposition/Circumduction	1	0
f.	Performed opposition by touching the thumb to the tip of each finger.		
g.	Circumducted the thumb by moving it in a circular motion.	1	0

Skill IV Passive Range of Motion (one side) (con't) - Items Evaluated		Possible	Awarded
17.	Exercised the hip: Abduction/Adduction	1 0	
a.	Supported the patient's leg by placing one hand under the knee and the other hand under the ankle.		
b.	Abducted the hip by moving the entire leg out to the side.	1 0	
c.	Adducted the hip by moving the entire leg back toward the body.	1 0	
	Flexion/Extension	1 0	
d.	Flexed the hip by bending the knee and moving the thigh up toward the abdomen.		
e.	Extended the hip by straightening the knee and moving the leg away from the abdomen.	1 0	
	Medial/Lateral Rotation		
f.	With one hand grasped distal area of thigh proximal to the knee and the other hand grasped proximally to the ankle to roll the extremity inward and outward.	1 0	
18.	Exercised the knee: Flexion/Extension	1 0	
a.	Supported the patient's leg by placing one hand under the knee and the other hand under the ankle.		
b.	Flexed the knee by bending the lower leg back toward the thigh.	1 0	
c.	Extended the knee by straightening the leg.	1 0	
19.	Exercised the ankle: Dorsiflexion/Plantar Flexion	1 0	
a.	Supported the patient's foot by placing one hand under the foot and the other hand behind the ankle.		
b.	Dorsiflexed the ankle by moving the toes and foot up toward the knee.	1 0	
c.	Plantar flexed the ankle by moving the toes and foot down away from the knee.	1 0	
	Invert/Evert Ankle	1 0	
d.	Inverted the foot by gently turning it inward.		
e.	Everted the foot by gently turning it outward.	1 0	
20.	Exercised the toes: Abduction/Adduction	1 0	
a.	Rested the patient's leg and foot on the bed for support.		
b.	Abducted the toes by separating them, or moving them away from each other.	1 0	
c.	Adducted the toes by moving them together.	1 0	

Skill IV Passive Range of Motion (one side) (con't) - Items Evaluated		Possible		Awarded
	Flexion/Extension d. Flexed the toes by bending them down toward the bottom of the foot.	1	0	
	e. Extended the toes by straightening them.	1	0	
21.	Made effort to ensure consistent draping to protect patient modesty during ROM exercise (though still allowing for visualization of the limb).	1	0	
22.	Checked in with patient during exercise to ensure comfort.	2	0	
23.	Used proper body mechanics while administering all ROM exercises.	2	0	
24.	Straightened the top bed linens and removed the bath blanket (if appropriate).	1	0	
25.	Elevated the siderail (if appropriate).	2	0	
26.	Washed hands or used alcohol-based hand-rub for hand hygiene.	2	0	
27.	Used appropriate verbal and nonverbal communication with patient and other personnel.	2	0	
28.	Verbalized to judge what action would be taken if patient complained of pain, exhibited profuse perspiration or difficulty breathing- [competitor would stop the exercise and report to the physical therapist (judge)].	4	0	
29.	Reported treatment and observations to physical therapist (judge).	2	0	
TOTAL POINTS – SKILL IV 70% Mastery for Skill IV = 58.1		83		

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C
 Competitor # _____ Judge's Signature _____

Skill V Ambulating with Crutches (Time: 7 minutes)		Possible	Awarded
1.	Obtained instructions from physical therapist (judge) and ascertained which gait the therapist taught the patient.	1	0
2.	Assembled equipment.	1	0
3.	Checked crutches to assure the rubber suction tips on the bottom ends are not worn down or torn and the axillary bars and hand rests are covered with padding.	2	0
4.	Knocked on door or requested permission to enter from behind the curtain, and paused before entering (as appropriate).	1	0
5.	Greeted patient and introduced self.	1	0
6.	Identified patient.	2	0
7.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0
8.	Explained skill and obtained consent from the patient.	2	0
9.	Checked to be sure the gait belt is the correct size, then positioned the belt around the patient's waist and on top of the clothing.	2	0
10.	Positioned the buckle or clasp so that it is slightly off center in the front, smooth and free of wrinkles.	2	0
11.	Tightened the belt so that it fits snugly, secured the clasp or buckle, and placed fingers under the belt to make sure it is not too tight.	2	0
12.	Put shoes or slippers with non-skid soles on the patient and ensured patient's feet are on the floor.	2	0
13.	Provided verbal directions for mobility task and/or demonstration: a. Instructed patient to not move crutches too far forward at one time and to avoid resting weight on axillary rest.	4	0
Assisted patient with the required gait: Judge Note: Evaluate competitor on ONE of the following 3 gaits as designated in the event scenario.			
b. Four-Point Gait:			
	i. Instructed patient to move right crutch forward.	1	0
	ii. Instructed patient to move left foot forward.	1	0
	iii. Instructed patient to move left crutch forward.	1	0
	iv. Instructed patient to move right foot forward.	1	0
OR			
c. Three-Point Gait:			
	i. Instructed patient to advance both crutches.	1	0
	ii. Instructed patient to advance the weak or affected leg.	1	0
	iii. Instructed patient to transfer body weight forward to the crutches.	1	0

iv. Instructed patient to advance the unaffected or strong leg forward.	1	0	
OR			

Skill V Ambulating with Crutches (con't) - Items Evaluated		Possible	Awarded
d. Two-Point Gait:			
i. Instructed patient to move the right foot and left crutch forward at the same time.		2	0
ii. Instructed patient to move the left foot and right crutch forward at the same time.		2	0
14. Used an underhand grasp on the belt and assisted the patient to a standing position.		2	0
15. Reminded the patient to bear his or her weight on the unaffected leg and positioned the crutches on the stronger or uninvolved side of the patient.		4	0
16. Checked the fit of the crutches:			
a. Positioned the crutches 4-6 inches in front of the patient's feet.		1	0
b. Moved the crutches 2-4 inches to the sides of the feet.		1	0
c. Ensured there is a 1 1/2 - 2 inch gap or 2 to 3 finger widths gap between the axilla and the axillary bar.		1	0
d. Ensured each elbow is flexed at a 25° to 30° angle.		1	0
e. If any adjustments needed, notified physical therapist (judge) who will make the necessary adjustments.		1	0
Judge Note: Adjust as necessary			
17. Reminded patient of gait sequence (including not advancing crutches too far forward or leaning on axillary rests) and/or corrected incorrect technique throughout session.		2	0
18. Walked to the side and slightly behind the patient on the weak side.		2	0
19. Was alert and ready to or caught the patient if any signs of falling.		2	0
20. Assisted the patient back to the chair after ambulating for the distance/time directed by the therapist (judge or scenario).		1	0
21. Removed gait belt and replaced equipment.		2	0
22. Washed hands or used alcohol-based hand rub for hand hygiene.		2	0
23. Used appropriate verbal and nonverbal communication with patient and other personnel.		2	0
24. Reported skill and observations to physical therapist (judge).		4	0
TOTAL POINTS -- SKILL V: 70% Mastery for Skill V : 39.2		56	

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C

Competitor # _____ Judge's Signature _____

Note: This skill may take place in a hospital bed or outpatient PT clinic. Steps that are appropriate in a hospital setting may not be done in an outpatient clinic. The skill steps performed should be adjusted to fit the setting and scenario.

Skill VI Cold Application with Ice Bag (Time: 6 minutes)	Possible		Awarded
1. Obtained instructions from physical therapist (judge).	1	0	
2. Assembled equipment.	1	0	
3. Greeted patient and introduced self.	1	0	
4. Identified patient.	2	0	
5. Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
6. Explained skill to patient and obtained consent.	2	0	
7. Applied gloves if area to be treated has any drainage.	2	0	
8. Provided for privacy (if appropriate).	1	0	
9. Assisted patient with ice bag:			
a. Filled the ice bag with water to check for leaks. Empty if no leaks present.	1	0	
b. Used a scoop to fill the bag half full.	1	0	
d. Placed the bag on a flat surface to expel all air, then sealed the bag.	1	0	
e. Wiped the outside of the bag dry.	1	0	
OR Assisted patient with disposable ice bag:			
a. Activated the chemicals in the cold pack by squeezing the pack or striking it against a solid surface.	2	0	
b. Placed a cover on the bag, or wrapped the ice pack/cold pack in a towel and taped the towel in place.	2	0	
10. Placed the ice pack on the correct area as indicated in the scenario.	4	0	
11. Assured patient is comfortable and ice pack is positioned correctly.	2	0	
12. Verbalized would recheck every 10 minutes for uncharacteristic changes in hue compared to untreated regions or complaints indicating poor tolerance to ice application. Judge states, "ice application has been in place for the ordered time".	2	0	
13. Removed the ice pack, noting the condition of the skin and patient reaction to the skill.	2	0	
14. Cleaned and/or replaced equipment used. Discarded disposables and placed linen in hamper. (if appropriate).	2	0	
15. Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
16. Used appropriate verbal and nonverbal communication with patient and other personnel.	2	0	
17. Reported skill and observations to the physical therapist (judge).	4	0	
TOTAL POINTS --- Skill VI: (Making Ice Bag)	36		
TOTAL POINTS -- SKILL VI: (Disposable Ice Bag)	36		
70% Mastery for Skill VI (Making Ice Bag) = 25.2			
70% Mastery for Skill VI (Disposable Ice Bag) = 25.2			

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C
 Competitor # _____ Judge's Signature _____

Skill VII Transfer from Supine to Sitting Time: 5 minutes		Possible		Awarded
1.	Obtained instructions from therapist (judge).	1	0	
2.	Assembled equipment.	1	0	
3.	Knocked on door or requested permission to enter from behind the curtain, and paused before entering.	1	0	
4.	Greeted patient and introduced self.	1	0	
5.	Identified patient.	1	0	
6.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
7.	Explained skill and obtained consent from the patient.	2	0	
8.	Moved the patient close to the edge of the bed or mat (using the length of the patient's thigh as guide to where the patient's buttock should be)	1	0	
9.	Instructed the patient to look in the direction of the movement when rolling.	1	0	
10.	Rolled the patient to a side-lying position while the lower extremities are partially flexed.	1	0	
11.	Placed one arm under the patients bottom shoulder reaching towards scapula and the other behind the patient's bent knees.	2	0	
12.	Instructed the patient that during the lift on the count of 3 to push up with one or both upper extremities.	1	0	
13.	Positioned feet in an anteroposterior position to widen base of support and to avoid twisting back.	2	0	
14.	On the count of 3 elevated the trunk by lifting under the shoulders while moving the legs off the bed or mat.	2	0	
16.	Supported the patient's pelvis when placed in a sitting position.	1	0	
17.	Did not leave patient in a sitting position unattended or unsupported throughout skill.	2	0	
18.	Washed hands or used alcohol-based hand rub for hand hygiene.	2	0	
19.	Used appropriate verbal and nonverbal communication with patient and other personnel.	2	0	
20.	Reported skill and observations to the therapist (judge).	2	0	
TOTAL POINTS – SKILL VII		28		
70% Mastery for Skill VII = 19.6				

PHYSICAL THERAPY

Section # _____ Division: _____ SS _____ PS/C
 Competitor # _____ Judge's Signature _____

Skill VIII Donning & Removing Transmission-Based Isolation Garments		Time: 5 minutes		Possible	Awarded
1.	Assembled equipment.	1	0		
2.	Verbalized "hands have been washed & jewelry removed".	2	0		
3.	Donning Gown:				
	a. If sleeves are long rolled up above elbows before applying gown.	2	0		
	b. Lifted the gown by placing the hands inside the shoulders.	2	0		
	c. Worked arms into the sleeves of gown by gently twisting.	2	0		
	d. Placed hands inside the neckband and adjusted until in position and tied the bands at the back of the neck.	2	0		
	e. Reached behind and folded the edges of the gown so that uniform is completely covered and tied the waistband.	2	0		
4.	Donning Mask:				
	a. Secured mask under the chin and covered mouth and nose.	2	0		
	b. Either placed elastic bands behind ears or tied mask securely behind head and neck by tying top ties first and bottom ties second.	2	0		
5.	Donning Gloves: Put gloves on and made sure that gloves covered the top cuff of the gown.	2	0		
6.	Removing Gown: Untied the waist ties and loosened the gown at the waist.	2	0		
7.	Removing Gloves:				
	a. Removed first glove by grasping the outside of the cuff with the opposite gloved hand and placed the glove over the hand so it is inside out.	2	0		
	b. Removed the second glove by placing the bare hand inside the cuff and pulled glove off so it is inside out.	2	0		
	c. Placed the gloves in the infectious waste container.	2	0		
	d. Washed hands or used alcohol based hand-rub for hand hygiene,	2	0		
8.	Removing Gown:				
	a. Untied the neck ties and loosened the gown at the shoulders handling only the inside of the gown.	2	0		
	b. Slipped the fingers of one hand inside the opposite cuff without touching the outside of gown and pulled the sleeve down over the hand	2	0		
	c. Used the gown-covered hand and pulled sleeve down over the opposite hand.	2	0		

Skill VIII Donning & Removing Transmission-Based Isolation Garments (con't) - Items Evaluated	Possible	Awarded
d. Eased arms and hands out of the gown, keeping the gown in front of the body and avoided outside of gown with hands.	2 0	
e. With hands inside the gown, brought the shoulders together and turned so the gown is inside out.	2 0	
f. Folded the gown in half and rolled together.	2 0	
g. Placed gown in infectious waste container.	2 0	
9. Removing Mask:		
a. Untied bottom ties first followed by the top ties or removed from behind ears.	2 0	
b. Held mask by top ties only and dropped into infectious waste container.	2 0	
10. Washed hands or used alcohol based hand-rub for hand hygiene.	2 0	
TOTAL POINTS -- SKILL VIII 70% Mastery for Skill VIII = 34.3	49	